# Strength irregularities in multistoried building using base isolation and damper in high Seismic zone: A theoretical Review

Mohit Kumar Prajapati<sup>1</sup>, Sagar Jamle<sup>2</sup>

<sup>1</sup>M. Tech Scholar Department of Civil Engineering, Oriental University, Indore, India

Email: <u>Prajapatimohit73@gmail.com</u>

<sup>2</sup>Assisstant Professor Department of Civil Engineering, Oriental University, Indore, India

Email: sj.sagarjamle@gmail.com

Abstract—When it comes to the development there are lots of ways to provide great advancement in the sphere of construction. The phase of development is in its modest to adopt all possible and ready to be used methods in the construction line. The only obstacle in the path of construction is the natural disaster which directly or indirectly creates hurdles. The one such catastrophe is Earthquake. Earthquakes are never ending challenges which engineers face in front of them. Good Engineer always research for best and more suitable ways to sort out the standing or upcoming problems. The task become more complex when it has to be fitted well with modern design approach and the challenges such as earthquake. The Floating column is one such modern techniques used which has to be implied safely without endangering the life and the property and carefully dealing in the high seismic zone.

Keywords—Base-isolation, Damper, High Seismic Zone, Response Spectrum Method, Structural irregularities.

## I. INTRODUCTION

The Earthquake are the most vulnerable and biggest threat which causes severe damages. Earthquake can struct at any time and any place. When it comes to its true form it never spares anything and ruin everything around it. But this is not the end the life comes with no break it has to go on and on. The engineers are at their best to find every possible study, apply all science and theory to deal more successfully to all these uncertainties.

Advance engineering is used in building construction for many different adoptions in construction designs and requirement which is unavoidable to be implied as an element.

When building with irregularities are used it causes lot more problems in the field of construction, the shear displacement, story driftsetc. are the problems which are generally faced cause the floating columns are not considered good in the construction but the need for more special requirement and more access floating columns are liked by many owners or builders. One big reason is the unescapable and obligatory need can't be avoided. The use of passive and active devices or combination of both can

be used all together to dealt with the lateral forces which a building comes into contact in wind and seismic activity.

The Base-isolation and Dampers are used to mitigate the hazardous effects which a structure face in the natural calamity. Base-isolation separate building from rocking from rest part of the ground motion and hence keeping in safe zone. The Dampers act as shock bodies to stop the damaging effects to the important building property and building as a whole. It acts an energy absorbing device which are installed externally.

### II. LITERATURE SURVEY

Practices and detailed study are required to gather much more suitable ways to create more understanding related to seismic effects. Engineers are fore more excited to learn new tactics to venture more adoptable and ease of methods to be used in a friendly manner. Good solution is the one which is beneficial in a much better way.

In ground motion due to earthquake creates vibration which affects serviceability and integrity of the structure. Bracing, Base-isolation and dampers are used as a control

method and their results are compared by the Time History analysis (Mohit M. Baruwala et. al. (2018)).

Different Dampers are used in R C Building and results of structure are compared with and without dampers using Response Spectrum method.(M. S. Langde et. al. (2017)).

Dampers reduce the vibration of the high-rise structure and to predict suitable position for the location of damper to study the performance of the building(N. Prajapati et. al. (2017)). Software analysis through Etabs 2015 with use of LRB bearing. Base isolation helps to shortcut vibrations moving to the top levels of the building reducing deflections (Bhavana Balachandraet. al. (2015)).

Seismic analysis of RC Multistorey building with and in the absence of FVD to know its behaviour in both Cases (S. Lakshmishireenbanuet. al.(2019)). Results are compared for building with fixed base and dampers using Time History Analysis and Etabs 2016 (Abhishek Kumar Maurya (2018)).

Using SAP 2000 on RC Structure having Floating column. Floating column produce the objectionable undistributed loads on the structure which produce torsion movement on the building (Sharma R. K. et. al. (2016)).

Higher displacement values are achieved with the use of floating member. Time history analysis gives more results of displacement than other methods of the dynamic analysis. Also, more storey drift at different levels (R. Goudet. al. (2017)).

LRB isolator is used as an isolation system in framed structure using SAP 2000. Isolation help to minimize displacement and deflection values. With increase in the height or levels in the building displacement at each level increases (R. B. Ghodkeet. al. (2015)).

# III. EXPECTED OUTCOMES AND NEED OF THE STUDY

Minimum the risk better and safe is the life. The very fundamental quote which has a deep meaning. A good Engineer is the one who never stops and keep doing best with the use of his developed knowledge and skills.

The study which are yet made are far more less sufficient to develop better solutions and to know the more worthy solutions further studies and more engineering has to be applied to get more wonderful results.

To study more about the topic, get more into detail about the building and its nature to the coming situation. The way a building response to the forces it has to deal with. The need here is to make a structure safe from the external unpredictable forces. A safe structure means a safe life and a step towards modern construction.

# IV. PROBLEM FORMULATION AND FUTURE OBJECTIVES

Structure irregularities in a building storey make it a soft storey. The purpose of study is to get to know how a floating column affect a building regularity. Finding the shear force and bending moment values. Comparative study of floating column member structure with only base-isolation and with base-isolation and dampers used together.

The software analysis for the multi-storey RC Frame structure to various modes of the structure, base shear value, frequencies and time periods and storey drift by the response spectrum using civil software.

#### V. CONCLUSION

The work which are ongoing on the subject of seismic effect has brought many facts and figures about the requirement to further investigate the more valuable results. The collected information obtained from the previous research has helped a lot to get into detail of the topic. The study has helped to better know the various methods of analysis which can be worked with different types of structures. This software has made it much simpler to evaluate the forces, to study the effect of forces on building and its behavior.

The very conclusion which are as follows:

- These irregularities has to be avoided as much practically as possible as they invite the more undistributed load. It makes structure irregular. But with better methods to avoid the undistributed loads and need of floating columns study where has to be used should be used precautious manner.
- 2. More ductile detailing is required in the case of floating column member.
- 3. Increased storey drift and displacement due to vertical irregularity.
- 4. Calculation of S.F. and B.M. values.
- 5. Base-isolation reduce base shear and reduce lateral forces.
- 6. Dampers help to dissipate the kinetic energy generated in the building due to seismic forces. A conclusion section must be included and should indicate clearly the advantages, limitations, and possible applications of the paper. Although a conclusion may review the main

points of the paper, do not replicate the abstract as the conclusion. A conclusion might elaborate on the importance of the work or suggest applications and extensions.

#### REFERENCES

- [1] R. Goud (2017), 'Study of Floating and Non-Floating columns with and Without Earthquake, International Journal of Science Technology & Engineering, Volume 4, Issue 1, ISSN: 2349-784X.
- [2] M. S. Landge and P. K. Joshi (2017), 'Comparative Study of Various Types of Dampers used for Multi-Story R.C.C. Building', International Journal for Research in Applied Science & Engineering Technology, ISSN: 2321-9653, Volume 5, Issue IV.
- [3] N. Prajapati and N. Sorathia (2018), 'Seismic Analysis and Performance of High-Rise Building with Damper', International Journal of Advance Engineering and Research, E-ISSN (O): 2348-4470, P-ISSN (P): 2348-6406, Volume 5, Issue IV.
- [4] S. Lakshmishireenbanu and pathaushasri (2019), 'Study of Seismic Energy Dissipation and Effect in Multistory RCC Building with and Without Fluid Viscous Dampers', International Journal of Innovative Technology and Exploring Engineering (IJITEE) ISSN: 2278-3075, Volume-8, Issue-7.
- [5] R. B. Ghodke and S.V. Admane (2015), 'Effect of Base-Isolation for Building Structures", International Journal of Science, Engineering and Technology Research (IJSETR), Volume IV, Issue 4.
- [6] R. K Sharma and N.L. Shelke (2016), "Dynamic Analysis of RC Frame Structure with floating column", International Journal of Advance Research in Science, Engineering and Technology, ISSN: 2350-0328, Vol. 3, Issue 6.
- [7] B. Balachandra and Susan Abraham, 'Effect of Base Isolation in Multi-storeyed RC Building', ISOR Journal of Engineering (ISORJEN), ISSN(e): 2250-3021, ISSN(P): 2278-8719, Vol. 08, Issue 6, V(II), PP 84-93.
- [8] Mohit M. Baruwala, A. R. Darji and Kaushal B. Parikh (2018), 'Seismic Performance of Building with Base Isolation, Damper and Braced System', International Journal forResearch in Applied Science & Engineering Technology (IJRASET), ISSN: 2321-9653, Volume 6, Issue IV.
- [9] A. K. Maurya, V. K. Singh (2018), 'Analysis of Building Using Viscous Dampers in Seismic Zone-V, International Journal of Advances in Mechanical and Civil Engineering, ISSN: 2394-2827, Volume-5, Issue-3.
- [10] Sagar Jamle, Dr. M.P. Verma, VinayDhakad, (2017), "Flat Slab Shear Wall Interaction for Multistoried Building under Seismic Forces", International Journal of Software & Hardware Research in Engineering (IJSHRE) ISSN: 2347-4890 Vol.-05, Issue-3, pp. 14-31.
- [11] SurendraChaurasiya, Sagar Jamle, (2018), "Determination of Efficient Twin Tower High Rise Building Subjected to Seismic Loading", International Journal of Current Engineering and Technology, INPRESSCO, E-ISSN 2277 –

- 4106, P-ISSN 2347 5161, Vol. 8, No. 5, pp. 1200 1203, DOI: https://doi.org/10.14741/ijcet/v.8.5.1
- [12] Archit Dangi, Sagar Jamle, (2018), "Determination of Seismic parameters of R.C.C. Building Using Shear Core Outrigger, Wall Belt and Truss Belt Systems". International Journal of Advanced Engineering Research and Science(ISSN: 2349-6495(P) | 2456-1908(O)),vol. 5, no. 9, pp.305-309 AI Publications, https://dx.doi.org/10.22161/ijaers.5.9.36
- [13] Mohd. Arif Lahori, Sagar Jamle, (2018), "Investigation of Seismic Parameters of R.C. Building on Sloping Ground", International Journal of Advanced Engineering Research and Science, (ISSN: 2349-6495(P), 2456-1908(O)), vol. 5, no. 8, pp.285-290 AI Publications, <a href="https://dx.doi.org/10.22161/ijaers.5.8.35">https://dx.doi.org/10.22161/ijaers.5.8.35</a>
- [14] Suyash Malviya, Sagar Jamle, (2019) ,"Determination of Optimum Location of Rooftop Telecommunication Tower over Multistory Building under Seismic Loading", International Journal of Advanced Engineering Research and Science(ISSN: 2349-6495(P) | 2456-1908(O)),vol. 6, no. 2, 2019, pp. 65-73, AI Publications, https://dx.doi.org/10.22161/ijaers.6.2.9
- [15] Yash Joshi, Sagar Jamle, Kundan Meshram, (2019), "Dynamic Analysis of Dual Structural System", International Journal of Research and Analytical Reviews, (ISSN: 2348-1269 (O), 2349-5138 (P)), vol. 6, no. 2, pp. 518-523.
- [16] Neeraj Patel, Sagar Jamle, (2019), "Use of Shear Wall Belt at Optimum Height to Increase Lateral Load Handling Capacity in Multistory Building: A Review", International Journal of Advanced Engineering Research and Science(ISSN: 2349-6495(P) | 2456-1908(O)),vol. 6, no. 4, pp. 310-314, AI Publications, https://dx.doi.org/10.22161/ijaers.6.4.36
- [17] Taha A. Ansari, Sagar Jamle, (2019), "Performance Based Analysis of RC Buildings with Underground Storey Considering Soil Structure Interaction", International Journal of Advanced Engineering Research and Science (ISSN: 2349-6495(P) | 2456-1908(O)),vol. 6, no. 6, pp. 767-771, AI Publications, <a href="https://dx.doi.org/10.22161/ijaers.6.6.89">https://dx.doi.org/10.22161/ijaers.6.6.89</a>
- [18] MarkandayGiri, Sagar Jamle, (2019), "An Approach to Lessen the Stresses in Flat Slab for Earthquake Zone IV", International Journal of Advanced Engineering Research and Science, (ISSN: 2349-6495(P), 2456-1908(O)), vol. 6, no. 6, pp.216-224, AI Publications, <a href="https://dx.doi.org/10.22161/ijaers.6.6.23">https://dx.doi.org/10.22161/ijaers.6.6.23</a>
- [19] Prakash Mandiwal, Sagar Jamle, (2019), "Tensile Strength & Durability Study on Self-Curing Concrete as a Partial Replacement of Cement by PEG-400", International Journal for Research in Engineering Application & Management(ISSN: 2454-9150),vol. 4, no. 10, pp. 244-248, doi: 10.18231/2454-9150.2018.1314
- [20] SurendraChaurasiya, Sagar Jamle, (2019), "Twin Tower High Rise Building Subjected To Seismic Loading: A Review". International Journal of Advanced Engineering Research and Science (ISSN: 2349-6495(P) | 2456-1908(O)), vol. 6, no. 4, pp. 324-328, AI Publications. https://dx.doi.org/10.22161/ijaers.6.4.38

- [21] Archit Dangi, Sagar Jamle, (2019), Stability Enhancement of Optimum Outriggers and Belt Truss Structural System", International Research Journal of Engineering and Technology, (ISSN: 2395-0072(P), 2395-0056(O)), vol. 6, no. 2, pp. 772-780.
- [22] PrafoollaThakre, Sagar Jamle, Kundan Meshram, (2019), "A Review on Opening Area with Respect to Wall Area in Shear Wall for Multistoried Building", International Journal of Research and Analytical Reviews, (ISSN: 2348-1269 (O), 2349-5138 (P)), vol. 9, no. 3, pp. 156-161.
- [23] SapanChawla, Sagar Jamle, Kundan Meshram, (2020), "A Review on Economical Design of Intz Water Tank as per IS-875-III, for Wind Speed in India", International Journal of Advanced Engineering Research and Science, (ISSN: 2456-1908 (O), 2349-6495(P)), vol. 7, no. 1, pp. 147-151. https://dx.doi.org/10.22161/ijaers.71.19
- [24] Romesh Malviya, Sagar Jamle, Kundan Meshram, (2020), "Examination on Increasing Stability of Multistoried Building: A Theoretical Review", International Journal of Advanced Engineering Research and Science, (ISSN: 2456-1908 (O), 2349-6495(P)), vol. 7, no. 1, pp. 162-164. https://dx.doi.org/10.22161/ijaers.71.22
- [25] PrafoollaThakre, Sagar Jamle, Kundan Meshram, (2020), " Opening Area Effect of Shear Wall in Multistorey Building under Seismic Loading", International Journal of Advanced Engineering Research and Science, (ISSN: 2456-1908 (O), 2349-6495(P)), vol. 7, no. 2, pp. 122-129. https://dx.doi.org/10.22161/ijaers.72.17